



SHACMAN

X5000 4X2 Tractor Main Specifications

Model		SX41855X361	
GCW (kg)	44000		
Curb weight (kg)	8500		
Max. Grade Ability (%)	35		
Min. Ground Clearance (mm)	315		
Dimension (mm)	Length	6150	
	Width	2490	
	Height	3890	
Wheel base (mm)		3600	
Front/Rear Overhang		1525/1025	
Engine	Model	WP12.460N	
	Max power (kw/rpm)	338/1900	
	Max torque(n.m/rpm)	2110/1000~1400	
	Displacement (L)	11.596	
Gearbox		ZF 12TX2421TD	
Steering		ZF technology	
Clutch		EATONΦ430 diaphragm-spring type	
Cab	SHACMAN X5000 flat-top cab		
	Driver seat with air suspension		
	One sleeping bed		
Air filter		FLEETGUARD Air filter	
Air-conditioner		Automatic A/C	
Front axle		7.5T MAN	
Suspension		Front& Rear less-leaf spring	
Frame (mm)		(940-850)×300 (single 8)	
Rear axle		13T MAN, Single reduction driving axle with inter-wheel differential and differential lock. Ratio:2.846	
Tire		315/80R22.5 with one spare tire	

Battery	24V、 165Ah
Fuel tank capacity (L)	700L Aluminum Tank with cover
Equipment	Multi-function steering wheel, driving recorder, electric cab tilt, three-level entry pedal, fiberglass bumper, electric window shaker, central locking (with remote control), electric heated rearview mirror,with hydraulic retarder, WABCO EBS+ESC, With spare tire rack, Magnesium aluminum alloy wheels
Fifth Wheel	JOST 50

